



## Self Propelled Augers



**GRAIN**  
HANDLING



**SHEEP**  
EQUIPMENT



**CATTLE**  
EQUIPMENT



**LIVESTOCK**  
FEEDING

### Why Choose Us?

**Australian made**  
with  
Australian Steel

We have been  
**Manufacturing for**  
nearly 30 years

Reputable  
**Family-owned**  
business

High Quality,  
**Durable products**  
that last

**1800 655 033**  
**[www.commanderagquip.com.au](http://www.commanderagquip.com.au)**





## Self Propelled Auger Features

1. Oil bath final drive assembly - longer lasting chains and sprockets
2. Non-hollow main drive shaft - longer lasting
3. Machined driveline couplings - less vibrations
4. Reversible gear box for changing variety and cleaning out auger
5. Unique engine assembly - stays at a convenient height at all times
6. 25 litre fuel tank on all augers with twin cylinder engines
7. Australian stud patterns highway rated wheels
8. Quick-attach tow hitch
9. Chemical applicator fitting in the barrel
10. One piece barrel and flighting
11. Precision round spiral wound barrel
12. Stretch fitted flighting - smoother operation, less contamination
13. Handles attached to the barrel for easy handling
14. Fully guarded for your protection
15. Cupped edge flighting for better pickup and improved efficiency
16. Hopper mount - augers from 15.5m and up (not shown on diagram)
17. Hydraulic elevation, intake end lift and steering on self propelled models

A Tradition In Excellence





**In Built Mover Kit**  
Built tough to last



**Cupped Edge Flighting**  
Carries grain rather than dragging it.



**Reversible Gearbox**  
To easily clean when changing varieties



**Optional Fully Hot Dipped Galvanized Tube and Frame**



**Oil Bath Final Drive**  
Less maintenance costs



**Heavy Duty Chassis & Wheel Frame**



**Safe & Easy To Use Mover Controls**



**Solid Top Drive Shaft With Bearings**



**All Hydraulic Hoses Clamped In Saddles- Not zip tied**



**Heavy Duty Winch**  
To keep the auger safe at heights



**2 Wheel Drive**  
For extra traction on rough terrain



**Electric Clutch Optional**  
Less wear on belts



## Features

- Cupped edge flighting for better pickup
- Reversible gearbox for changing variety and cleaning out the auger
- Oil bath final drive assembly- longer lasting chains and sprockets
- One piece barrel and flighting
- Stretch fitted flighting- smoother operation, less contamination
- Solid main drive shaft- longer lasting
- Fully guarded for your protection
- Manufactured in WA
- Precision round spiral wound barrel
- Hopper comes with auger

LENGTH	7"	9"	10"	11"	13"	LIFT HEIGHT
34' (10.4m)	13hp	23hp	23hp	27hp	35hp	7m
37' (11.3m)	13hp	23hp	27hp	27hp	35hp	7.3m
41' (12.5m)		23hp	27hp	35hp	37hp	8.2m
46' (14m)		27hp	27hp	35hp	37hp	9.4m
51' (15.5m)		27hp	35hp	35hp	40hp Diesel	10.4m
56' (17.1m)			37hp	37hp	50hp Diesel	11m
61' (18.6m)			40hp Diesel	40hp Diesel	60hp Diesel	12.3m
71' (21.6m)			POA	POA	POA	POA

*"We are very happy with our new purchase. Saves a lot of stress on our back. Easy to move around. I would recommend Commander Ag-Quip to people who need a quality product backed by efficient service."*